## WHAT IS CLAIMED IS:

15

- 1. A dilatant fluid composition comprising
- (A) an inorganic fine particle having a primary particle size of from 2 nm to 30  $\mu m$ : 100 parts by weight
- 5 (B) a particle dispersing agent: 0.5 to 100 parts by weight
  - (C) a silicone medium: 5 to 1,000 parts by weight.
- 2. The dilatant fluid composition described in claim
  10 1, wherein the inorganic fine particle of the component (A)
  is an inorganic particle having a primary particle size of
  from 2 to 50 nm.
  - 3. The dilatant fluid composition described in claim 1 or 2, wherein the inorganic fine particle of the component (A) is silica.
  - The dilatant fluid composition described in claim
     wherein the particle dispersing agent of the component
     is a dispersing agent having a siloxane bond.
- 5. The dilatant fluid composition described in claim
  1, wherein the particle dispersing agent of the component
  (B) is a siloxane represented by the following general
  formula (1)

$$R^{1}_{a}R^{2}_{b}SiO_{(4-a-b)/2}$$
 (1)

(wherein R<sup>1</sup> in the formula is the same or different organic 25 group selected from monovalent hydrocarbon radicals having from 1 to 30 carbon atoms, which are alkyl groups, cycloalkyl groups, aryl groups or aralkyl groups, and R<sup>2</sup> is a substituent having an alkylene oxide group and hydroxyl group, wherein a and b are respectively  $0.01 \le a \le 2.5$  and  $0.01 \le b \le 2.5$ ,  $0.05 < a + b \le 3.0$  and c and d are respectively integers of  $2 \le c \le 5$  and  $0 \le d \le 100$ .

5

- 6. The dilatant fluid composition described in claim

  1, wherein the particle dispersing agent of the component

  (B) is a polysiloxane-diol.
- 7. The dilatant fluid composition described in claim
  10 1, wherein the particle dispersing agent of the component
  (B) is a copolymer of a (meth)acryl monomer with a siloxane having a (meth)acryl group at one terminal thereof.
- 8. The dilatant fluid composition described in claim
  1, wherein the component (C) is a cyclic or linear dimethyl
  silicone oil or methylphenyl silicone oil.